EAST Search History

| Ref# | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|------------|------|---|----------------------|---------------------|---------|---------------------|
| S1 | 0 | monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | USPAT | OR | OFF | 2009/02/06 12:14 |
| S 2 | 1 | monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | US-PGPUB | OR | OFF | 2009/02/06 12:14 |
| S3 | 0 | monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 12:15 |
| S4 | 1 | record\$3 near2 total adj time with power adj consumption | USPAT | OR | OFF | 2009/02/06 12:22 |
| S 5 | 1 | record\$3 near2 total adj time with power adj consumption | US-PGPUB | OR | OFF | 2009/02/06 12:23 |
| S6 | 0 | record\$3 near2 total adj time with power adj consumption | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 12:23 |
| S 7 | 70 | analyz\$3 near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | USPAT | OR | OFF | 2009/02/06 12:42 |
| S8 | 3 | analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | USPAT | OR | OFF | 2009/02/06 12:42 |

| S9 | 4 | analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | US-PGPUB | OR | OFF | 2009/02/06 12:43 |
|-----------|----|---|----------------------|----|-----|---------------------|
| S10 | 2 | analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 12:48 |
| S11 | 27 | monitor\$3 near3 parts near2 (application program programme code\$1) | USPAT | OR | OFF | 2009/02/06 12:53 |
| S12 | 4 | monitor\$3 near3 parts near2 (application program programme code\$1) same sensor \$1 | USPAT | OR | OFF | 2009/02/06 12:54 |
| S13 | 1 | monitor\$3 near3 parts near2 (application program programme code\$1) same sensor \$1 | US-PGPUB | OR | OFF | 2009/02/06 12:57 |
| S14 | 0 | monitor\$3 near3 parts near2 (application program programme code\$1) same sensor \$1 | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 12:59 |
| S15 | 3 | monitor\$3 near3 parts near2 (application program programme code\$1) and power adj consumption | USPAT | OR | OFF | 2009/02/06 13:04 |
| S16 | 6 | monitor\$3 near3 parts near2 (application program programme code\$1) and power adj consumption | US-PGPUB | OR | OFF | 2009/02/06 13:05 |
| S17 | 0 | monitor\$3 near3 parts near2 (application program programme code\$1) and power adj consumption | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 13:06 |

| S18 | 0 | (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | USPAT | OR | OFF | 2009/02/06 13:18 |
|-------------|------|---|----------------------|----|-----|---------------------|
| S19 | 0 | (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | US-PGPUB | OR | OFF | 2009/02/06 13:22 |
| S20 | 0 | (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 13:22 |
| S21 | 0 | correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | USPAT | OR | OFF | 2009/02/06 13:51 |
| S22 | 0 | correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | US-PGPUB | OR | OFF | 2009/02/06 13:52 |
| S23 | 0 | correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 13:52 |
| S24 | 0 | sensor adj outputs near2 indicat\$3 near3 power near3 property | USPAT | OR | OFF | 2009/02/06 13:54 |
| S 25 | 1 | sensor adj outputs near2 indicat\$3 near3 power near3 property | US-PGPUB | OR | OFF | 2009/02/06 13:54 |
| S26 | 0 | sensor adj outputs near2 indicat\$3 near3 power near3 property | EPO; JPO; IBM_TDB | OR | OFF | 2009/02/06 13:54 |
| S27 | 16 | paver.in. with nigel | USPAT | OR | OFF | 2009/02/06 14:11 |
| S28 | 23 | paver.in. with nigel | US-PGPUB | OR | OFF | 2009/02/06 14:12 |
| S29 | 2179 | 713/300.ccls. | USPAT | OR | OFF | 2009/02/06 14:45 |
| S30 | 1804 | 713/300.ccls. | US-PGPUB | OR | OFF | 2009/02/06 15:04 |

| S31 | | 713/300.ccls. and monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:28 |
|-----|------|--|--------------------|----|-----|---------------------|
| S32 | 0 | 713/300.ccls. and record\$3 near2 total adj time with power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:29 |
| S33 | O | 713/300.ccls. and analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:29 |
| S34 | 0 | 713/300.ccls. and monitor\$3 near3 parts near2 (application program programme code\$1) same sensor \$1 | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:30 |
| S35 | O | 713/300.ccls. and monitor\$3 near3 parts near2 (application programme code\$1) and power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:31 |
| S36 | 0 | 713/300.ccls. and (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:31 |
| S37 | 0 | 713/300.ccls. and correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:32 |
| S38 | 0 | 713/300.ccls. and sensor adj outputs near2 indicat\$3 near3 power near3 property | US-PGPUB; USPAT | OR | OFF | 2009/02/06 15:32 |
| S39 | 1633 | 713/320.ccls. | USPAT | OR | OFF | 2009/02/06 15:35 |

| S40 | 657 | 713/320.ccls. | US-PGPUB | OR | OFF | 2009/02/06 16:05 |
|-----|-----|--|--------------------|----|-----|---------------------|
| S41 | 0 | 713/320.ccls. and monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:15 |
| S42 | 0 | 713/320.ccls. and record\$3 near2 total adj time with power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:15 |
| S43 | 0 | 713/320.ccls. and analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:16 |
| S44 | 0 | 713/320.ccls. and monitor\$3 near3 parts near2 (application program programme code\$1) same sensor | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:16 |
| S45 | 0 | 713/320.ccls. and monitor\$3 near3 parts near2 (application program programme code\$1) and power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:21 |
| S46 | 0 | 713/320.ccls. and (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:21 |
| S47 | 0 | 713/320.ccls. and correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:21 |
| S48 | 0 | 713/320.ccls. and sensor adj outputs near2 indicat\$3 near3 power near3 property | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:21 |

| S49 | 649 | 702/130.ccls. | USPAT | OR | OFF | 2009/02/06 16:22 |
|-----|-----|---|--------------------|----|-----|---------------------|
| S50 | 187 | 702/130.ccls. | US-PGPUB | OR | OFF | 2009/02/06 16:33 |
| S51 | 0 | 702/130.ccls. and monitor\$3 near3 sensor adj output\$1 with power adj consumption near3 (chip microprocessor cpu processor) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:42 |
| S52 | 0 | 702/130.ccls. and record\$3 near2 total adj time with power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:43 |
| S53 | 0 | 702/130.ccls. and analyz\$3 near2 operation near3 (chip processor cpu microprocessor) near2 execut\$3 near2 (application program code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:44 |
| S54 | O | 702/130.ccls. and monitor\$3 near3 parts near2 (application program programme code\$1) same sensor | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:44 |
| S55 | 0 | 702/130.ccls. and monitor\$3 near3 parts near2 (application program programme code\$1) and power adj consumption | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:44 |
| S56 | 0 | 702/130.ccls. and (obtain\$3 receiv\$3) near2 event adj data near3 sensor near3 (chip processor microprocessor cpu) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:44 |
| S57 | 0 | 702/130.ccls. and correlat\$3 near2 monitor\$3 near3 (parts portions) near3 (application program \$4 code\$1) | US-PGPUB; USPAT | OR | OFF | 2009/02/06 16:45 |

| S58 | 0 | 702/130.ccls. and | US-PGPUB; | OR | OFF | 2009/02/06 |
|-----|---|------------------------|-----------|----|-----|------------|
| | annin a | sensor adj outputs | USPAT | | | 16:46 |
| | and the second | near2 indicat\$3 near3 | | | | |
| | annan . | power near3 property | | | | |

2/6/2009 4:47:26 PM

C:\ Documents and Settings\ ssuryawanshi\ My Documents\ EAST\ Workspaces \ 10815567AppPowerConsumptionPart2.wsp